



008, Wing-3, Devi Krupa,
Pant Nagar, Ghatkopar (E)
Mumbai - 400 075

E-mail : contact@crystaldatainc.com
crystaldatainc@gmail.com
www.crystaldatainc.com



NSIC-CRISIL SE3C

Crystal Data Inc.

CONSULTING, DEVELOPMENT, SUPPORT

Phone : 022-21022438 / 21021849 / 65883988
Mobile : 9820373936 / 9920548030

LAB NO.	: 5	DATE	: 12-Aug-2011
PATIENT NAME	: MR. KETAN CHAVAN	SEX	: Male
REF. BY DR.	: DR. PATIL M.B.B.S.	AGE	: 29 Years
SAMPLE COLL. AT	: CRYSTAL LAB		

HIV INFECTION SCREENING TEST

<u>TEST</u>	<u>RESULT</u>
H.I.V. Antibody	Not detected
H.I.V. 1	Nonreactive
H.I.V. 11	Nonreactive
Interpretation	Nonreactive for HIV 1 & HIV 11

Method : Dot Immunoassay.
Positive test should be confirmed by Western Blot method.
Negative result does not exclude the possibility of exposure to, or infection with HIV 1 & 11.
Please confirm the test with three separate kits at intervals according to WHO criteria.

Material Used - TRIDOT (J. MITRA)

----- End of Report. -----

Chandan Vartak
D.M.L.T.

Highlighted Result Values Indicate Abnormal
Report Printed By My Lab www.crystaldatainc.com

Dr. Pankaj Shah
M.D. M.B.B.S.