

## INDIA PVT. LTD.

www.crystaldatasoftware.com



LAB NO. : 2 **REG DATE** 

: 14-Sep-2024 10:51 am

PATIENT NAME

: MR. KRISHNA MAURYA

SAMPLE DATE REPORT DATE : 14-Sep-2024 10:56 am : 10-Dec-2024 12:02 pm

REF. BY DR.

: DR. PATIL M.B.B.S.

SAMPLE COLL. AT : CRYSTAL LAB SEX / AGE Male / 23 Years

## **ELISA TEST FOR TUBERCULOSIS**

**TEST RESULT** NORMAL VALUES **UNITS** 

Tuberculosis IgG **POSITIVE** EU / ML < 0.90 EU / ML --> Negative > 1.10 EU / ML --> Positive

0.90 - 1.10 EU / ML --> Equi Vocal

Notes: The Tuberculosis IgG is an ELISA based test for the detection of anti - mycobacterial antibodies (IgG) against A60 mycobacterium complex. The A60 antigen complex is an interspecific antigen found in the cytosol of typical and antitypical mycobacteria.

Healthy subjects may test negative even if they have a positive Mantoux or if they reside in areas of high endemicity.

The TB test may show a positive result in patients with latent active infection and or in cases of booster vaccination in healthy subjects. These antibodies may be detectable in CSF in cases of TB meningitis.

Result from this test should be interpreted as a part of a complete clinical profile and in conjunction with other diagnostic techniques. As a diagnostic tool, this test alone is not sufficient to determine the presence or extent of the disease.

Method: By Fully Automated Chemiluminescent System, USA.

--- End of Report. -----

**Bold Indicates Abnormal Values** 

Lab Techcian New M.D.







CrystaKetan Chavan M.D. M.B.B.S.

