

LAB NO.	: 2	REG DATE	: 14-Sep-2024 10:47 am
PATIENT NAME	: MR. SHIVAM PRAJAPATI	SAMPLE DATE	: 14-Sep-2024 10:52 am
REF. BY DR.	: DR. PATIL M.B.B.S.	REPORT DATE	: 14-Sep-2024 11:45 am
SAMPLE COLL. AT	: CRYSTAL LAB	SEX / AGE	: Male / 23 Years

SLIDE TEST FOR ANTI - STREPTOLYSIN O

<u>TEST</u>	<u>RESULT</u>
Result	Negative
Titre	1:40
Method	Latex Agglutination
Kit Used	RHELAX - ASO TULIP
Control Used	Positive & Negative

Comments : Rhelax ASO slide test for detection of antibodies to streptolysin O is based on the principle of agglutination. The test specimen (serum) is mixed with Rhelax ASO latex reagent and allowed to react. If antibodies to streptolysin O are present in concentrations more than 200 IU/ml but less than 400 IU/ml then a visible agglutination is observed. If antibodies to streptolysin O are not present or are in concentration less than 200 IU/ml then no agglutination will be observed.

Agglutination is a positive test result and indicates the presence of detectable levels of Anti-streptolysin O in the test specimen. No agglutination is a negative test result and indicates the absence of detectable levels of Anti-streptolysin O in the test specimen.

----- End of Report. -----

Bold Indicates Abnormal Values

Lab Techcian
New M.D.



CrystaKetan Chavan
M.D. M.B.B.S.