



LAB NO. : 2
PATIENT NAME : MR. SHIVAM PRAJAPATI
REF. BY DR. : DR. PATIL M.B.B.S.
SAMPLE COLL. AT : CRYSTAL LAB
REG DATE : 14-Sep-2024 10:47 am
SAMPLE DATE : 14-Sep-2024 10:52 am
REPORT DATE : 10-Dec-2024 12:10 pm
SEX / AGE : Male / 23 Years

SLIDE TEST FOR C - REACTIVE PROTEIN

<u>TEST</u>	<u>RESULT</u>
Result	Positive
Titre	1:80

Comments : Rhelax CRP slide test for detection of CRP is based on the principle of agglutination. The test specimen (serum) is mixed with Rhelax CRP latex reagent and allowed to react. If CRP concentration is greater than 0.6 mg/dl a visible agglutination is observed. If CRP concentration is less than 0.6 mg / dl, then no agglutination is observed.

Agglutination is a positive test result and indicates the presence of CRP in the test specimen. No agglutination is a negative test result and indicates the absence of CRP in the test specimen.

----- End of Report. -----

Sample Report

Bold Indicates Abnormal Values

Lab Techcian
New M.D.



admin@crystaldatasoftware.com
crystaldatasoftware@gmail.com



022 - 250 05 427 / 250 05 428
+91 9820 37 3936 / 9920 54 8030

CrystaKetan Chavan
M.D. M.B.B.S.



1800 22 5427