



LAB NO. : 2
PATIENT NAME : MR. SHIVAM PRAJAPATI
REF. BY DR. : DR. PATIL M.B.B.S.
SAMPLE COLL. AT : CRYSTAL LAB
REG DATE : 14-Sep-2024 10:47 am
SAMPLE DATE : 14-Sep-2024 10:52 am
REPORT DATE : 14-Sep-2024 1:13 pm
SEX / AGE : Male / 23 Years

***SUSCEPTIBILITY TEST**

<u>TEST</u>	<u>RESULT</u>		
Organism	---		
Ampicillin	Susceptible	10mcg	10mcg
Ampicillin / Sulbactam	Susceptible	10/10mcg	10/10mcg
Ampicillin - Cloxacillin	Resistant	10mcg	10mcg
Amikacin	Resistant	30mcg	30mcg
Azithromycin	Resistant	15mcg	15mcg
Cefuroxime	Intermediate	30mcg	30mcg
Ceftazidime	Intermediate	30mcg	30mcg
Ceftriaxone	Intermediate	30mcg	30mcg
Cefoperazone	Resistant	75mcg	75mcg
Cefoperazone- Sulbactam	Resistant	75/30mcg	75/30mcg
Cephadrine	Resistant	30mcg	30mcg
Cefaclor	Resistant	30mcg	30mcg
Cephadroxil	Resistant	30mcg	30mcg
Cephalexin	Intermediate	30mcg	30mcg
Cefixime	Resistant	5mcg	5mcg
Clotrimazole	Intermediate	23.75/1.25mcg	23.75/1.25mcg
Clindamycin	Susceptible	2mcg	2mcg
Chloramphenicol	Susceptible	30mcg	30mcg
Ciprofloxacin	Susceptible	5mcg	5mcg
Erythromycin	Intermediate	15mcg	15mcg
Gentamycin	Susceptible	10mcg	10mcg
Gatifloxacin	Resistant	5mcg	5mcg
Levofloxacin	Intermediate	5mcg	5mcg
Lomefloxacin	Susceptible	10mcg	10mcg
Meropenam	Susceptible	10mcg	10mcg
Nalidixic acid	Susceptible	30mcg	30mcg
Norfloxacin	Susceptible	10mcg	10mcg
Nitrofurantoin	Intermediate	100mcg	100mcg
Ofloxacin	Intermediate	5mcg	5mcg

Bold Indicates Abnormal Values



CrystaKetan Chavan
M.D. M.B.B.S.

Lab Techcian
New M.D.



admin@crystaldatasoftware.com
crystaldatasoftware@gmail.com



022 - 250 05 427 / 250 05 428
+91 9820 37 3936 / 9920 54 8030



1800 22 5427



Piperacillin	Intermediate	100mcg	100mcg
Piperacillin-Tazobactam	Resistant	100/10mcg	100/10mcg
Sparfloxacin	Resistant	5mcg	5mcg
Tobramycin	Resistant	10mcg	10mcg
Tetracycline	Resistant	30mcg	30mcg
Vancomycin	Susceptible	30mcg	30mcg

* In accordance with Performance Standards for Antimicrobial Disc Susceptibility tests, by National committee for Clinical Laboratory Standards (NCCLS), 2002.

----- End of Report. -----

Sample Report

Bold Indicates Abnormal Values

Lab Techcian
New M.D.



admin@crystaldatasoftware.com
crystaldatasoftware@gmail.com



022 - 250 05 427 / 250 05 428
+91 9820 37 3936 / 9920 54 8030

CrystaKetan Chavan
M.D. M.B.B.S.



1800 22 5427